

**CITY OF MIRAMAR NOTES FOR ALL UTILITY  
PERMITS:**

1. The City of Miramar assumes no responsibility or any liability for the locations and elevations of existing utilities as shown on the drawings. The City does not guarantee the completeness of the existing utilities, as shown. It is the contractor's and utility company's responsibility to locate all the existing utilities in the vicinity of the work area.
2. All City utilities must be located by Soft Dig methods before starting the work.
3. Call Sunshine, 1-800-432-4770 or 811, 48 hours before you dig.
4. Always maintain 18" vertical clearance between existing utilities and the new lines.
5. Always maintain 36" horizontal clearance between existing utilities and new lines or obstructions.
6. Contact George F Albury Jr at 954-602-3321 (Engineer Technician), 48 hours prior to starting work.
7. Poles and handholes to be set back a minimum of 4' from curb.
8. Restore all sod, trees, landscape, sprinklers and sidewalk to original / better condition at job completion.
9. Notify the City upon completion of the job.
10. Locate / soft dig of City utility lines is not required when boring 15' or deeper below ground.
11. 4'x4'x2' deep trench at each end of directional bore.
12. SBDD permit is required for all underground utility work across or within drainage easements located within SBDD's jurisdictional boundaries. Provide either a permit or a "no permit required letter" from SBDD, prior to the issuance of a utility permit from the City.